



**ALLIANCE  
TRUCK PARTS**

# ALLIANCE LUBRICANTS PRODUCT LINE



## ENGINE OILS



### PRIME ENGINE GLOBAL 10W40

#### APPROVALS

MB 228.51  
API CK-4  
DDC 93K222

#### SPECIFICATIONS

ACEA E9 / E7 / E6  
JASO DH-2  
API CK-4 / CJ-4 / CI-4

#### OUT OF WARRANTY RECOMMENDATIONS

MAN M 3271-1 / M 3477  
MACK EO-M PLUS / EO-N  
MTU DDC TYPE 3.1  
VOLVO VDS-3 / CNG  
SCANIA LA  
VOITH RETARDER B  
MB 235.28

#### DESCRIPTION

A high performance long drain lubricant for use in Mercedes-Benz, Freightliner Cascadia and Fuso Shogun heavy duty vehicles.

#### PART INFO

QABP AFM49821000  
QABP AFM4982205  
QABP AFM4982020  
QABP AFM4982005

#### Pack sizes available:

1000 Lt IBC  
205 Lt drum  
20 Lt drum  
5 Lt bottle



### PRIME ENGINE CK-4 15W40

#### APPROVALS

API CK-4  
DDC 93K222  
CUMMINS CES20086  
MB 228.31  
VOLVO VDS-4.5  
MACK EOS-4.5  
RENAULT VI RLD-3

#### SPECIFICATIONS

API CK-4 / CJ-4 /  
CI-4 PLUS / CI-4  
JASO DH-2  
ACEA E9 / E7  
CAT ECF-3

#### OUT OF WARRANTY RECOMMENDATIONS

CUMMINS CES 20081  
DETROIT DIESEL 93K218  
VOLVO VDS-4  
MACK EO-O PREMIUM PLUS  
MAN 3275-1 / MAN M 3575

#### DESCRIPTION

A premium heavy duty API CK-4 15W40 oil for use in North American trucks.

#### PART INFO

QABP AFM48421000  
QABP AFM4842205  
QABP AFM4842020  
QABP AFM4842005

#### Pack sizes available:

1000 Lt IBC  
205 Lt drum  
20 Lt drum  
5 Lt bottle



### PRIME ENGINE C2 5W30

#### APPROVALS

ACEA C2 / C3  
API SN

#### SPECIFICATIONS

ACEA C2 / C3  
API SN

#### OUT OF WARRANTY RECOMMENDATIONS

IVECO 18-1811 CLASSE SC1  
MB 229.52

#### DESCRIPTION

Premium diesel engine oil for light commercial vehicles and cars requiring an ACEA C2 or C3 specification oil. It is also the recommended Alliance brand for use in all Fuso vehicles operating the latest 4P10 low emission engine.

#### PART INFO

QABP AFM4729205  
QABP AFM4729020  
QABP AFM4729005

#### Pack sizes available:

205 Lt drum  
20 Lt drum  
5 Lt bottle

## MULTI-PURPOSE OILS



### PRIME FLEX ATF III

#### APPROVALS

Freightliner Cab Tilt

#### SPECIFICATIONS

JASO M315 TYPE 1A

#### OUT OF WARRANTY RECOMMENDATIONS

DEXRON III  
AISIN WARNER (JWS 3309 / TYPE T-IV)

#### DESCRIPTION

Multifunction lubricant for use in specialised transmission, power steering, cab tilt and hydraulic applications.

#### PART INFO

QABP AFM4958205  
QABP AFM4958020  
QABP AFM4958005

#### Pack sizes available:

205 Lt drum  
20 Lt drum  
5 Lt bottle

## COOLANTS



### PRIME COOL GP P40

#### APPROVALS

MB 326.5  
DETROIT 93K217  
ELC

#### SPECIFICATIONS

FUSO SAE J814  
BS 6580  
AFNOR NF R 15-601 TYPE I  
ASTM D 3306 TYPE I  
ASTM D 4985

#### OUT OF WARRANTY RECOMMENDATIONS

MAN 324 TYPE Si-OAT  
DEUTZ DQC CC-14

#### DESCRIPTION

Antifreeze coolant premix using the latest Silicated Organic Acid Technology (OAT). Based on Mono Ethylene Glycol and is free of Nitrate, Amine and Phosphate. Fully approved for use in Mercedes-Benz and Fuso trucks (except 4P10 engine) as well as Detroit Diesel engines.

#### PART INFO

QABP AFM46041000  
QABP AFM4604205  
QABP AFM4604020  
QABP AFM4604005

#### Pack sizes available:

1000 Lt IBC  
205 Lt drum  
20 Lt drum  
5 Lt bottle



### PRIME COOL C MF

#### APPROVALS

MB 325.0

#### SPECIFICATIONS

SAE J1034  
BS 6580:1992  
AFNOR NF R 15-601 TYPE I  
STM D 3306 TYPE I  
ASTM D 4985"

#### OUT OF WARRANTY RECOMMENDATIONS

DEUTZ DQC CA-14  
JENBACHER TA 1000-0201  
MAN 324 NF  
MAN 324 NF PRITARDER  
MTU MTL 5048

#### DESCRIPTION

Antifreeze coolant concentrate using Hybrid technology. Based on Mono Ethylene Glycol and is free of Nitrate, Amine and Phosphate. For use in older Mercedes-Benz light and heavy commercial vehicles which require a coolant meeting MB 325.0 approval.

#### PART INFO

QABP AFM4475205  
QABP AFM4475020

#### Pack sizes available:

205 Lt drum  
20 Lt drum



## AXLE OILS



### PRIME AXLE 235.8 75W90

#### APPROVALS

MB 235.8

#### SPECIFICATIONS

API GL-4 / GL-5  
API MT-1  
SAE J2360  
SCANIA STO 1:0  
SCANIA STO 2:0A FS

#### OUT OF WARRANTY RECOMMENDATIONS

MAN 341 TYPE Z2  
MAN 342 TYPE M3  
MAN 342 TYPE S1  
ZF TE-ML 02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A (ZF003341)

#### DESCRIPTION

MB 235.8 approved, fully synthetic drivetrain oil for Mercedes-Benz and Fuso Shogun trucks.

#### PART INFO

QABP AFM4610205  
QABP AFM4610020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum



### PRIME AXLE LD 80W90

#### APPROVALS

MB 235.20

#### SPECIFICATIONS

API GL-5  
MT-1  
SAE J2360

#### OUT OF WARRANTY RECOMMENDATIONS

MAN 342 TYPE M3  
ZF TE-ML 05A  
ZF TE-ML 12L / 12M  
ZF TE-ML 16B / 17B / 19B  
ZF TE-ML 21A

#### DESCRIPTION

Mineral axle oil for Mercedes-Benz trucks requiring MB 235.20 approval.

#### PART INFO

QABP AFM4212205  
QABP AFM4212020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum



### PRIME AXLE FE 75W90

#### APPROVALS

ArvinMeritor 076-N

#### SPECIFICATIONS

SAE J2360  
MIL-PRF-2105E  
API GL-5  
API MT-1

#### OUT OF WARRANTY RECOMMENDATIONS

TMS 6816  
Mack GO-J Plus  
SHAES 256 Rev C  
SHAES 429

#### DESCRIPTION

Fully synthetic, fuel economy oil for use in Meritor and Dana Shae axles.

#### PART INFO

QABP AFM4722205  
QABP AFM4722020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum

## AXLE OILS



### PRIME AXLE 85W140

#### APPROVALS

#### SPECIFICATIONS

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

#### PART INFO

API GL-5

ZF TE-ML 05A  
ZF TE-ML 12E  
ZF TE-ML 16D  
ZF TE-ML 21A

Mineral oil for use in Meritor axles.

QABP AFM42081000  
QABP AFM4208205  
QABP AFM4208020

#### Pack sizes available:

1000 Lt IBC  
205 Lt drum  
20 Lt drum



### PRIME AXLE LS 80W90

#### APPROVALS

#### SPECIFICATIONS

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

#### PART INFO

API MT-1  
API GL-5 / GL-5S  
SAE 2360

Mineral axle oil for use in limited slip and standard axle applications.

QABP AFM4209205  
QABP AFM4209020

#### Pack sizes available:

205 Lt drum  
20 Lt drum

## HYDRAULIC OIL



### PRIME FORCE ISO 68

#### APPROVALS

#### SPECIFICATIONS

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

#### PART INFO

ISO VISCOSITY 68  
AFNOR E48-603  
FORD M-6C32  
US STEEL 126, 127  
DENISON HF-1, HF-2, HF-0

CINNATI MILACRON  
P-68, P-69, P-70

High quality ISO 68 hydraulic oil.

QABP AFM4298020

#### Pack sizes available:

20 Lt drum

## TRANSMISSION OILS



### PRIME TRANS GLOBAL 75W90

#### APPROVALS

MB 235.11

#### SPECIFICATIONS

API GL-4

#### OUT OF WARRANTY RECOMMENDATIONS

MAN 341 TYPE MB  
ZF TE-ML 08

#### DESCRIPTION

Full synthetic lubricant for use in specified transmissions requiring MB 235.11 approval.

#### PART INFO

QABP AFM4301205  
QABP AFM4301020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum



### PRIME TRANS MP 80

#### APPROVALS

MB 235.1

#### SPECIFICATIONS

API GL-4

#### OUT OF WARRANTY RECOMMENDATIONS

MAN TYPE 341 E1  
MAN TYPE 341 Z2  
ZF TE-ML 17A


#### DESCRIPTION

Mineral transmission oil for use in specified Mercedes-Benz and Fuso transmissions.

#### PART INFO

QABP AFM4300205  
QABP AFM4300020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum



### PRIME TRANS ESYN 40

#### APPROVALS

MACK TO-A PLUS  
MERITOR O-81  
PS-386



#### SPECIFICATIONS

API MT-1

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

Eaton PS 386 approved fully synthetic oil for use in Manual 18 speed and automated Ultra-Shift Plus gearboxes.

#### PART INFO

QABP AFM4708205  
QABP AFM4708020

**Pack sizes available:**  
205 Lt drum  
20 Lt drum

## TRANSMISSION OILS



### PRIME TRANS 50

#### APPROVALS

#### SPECIFICATIONS

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

#### PART INFO

API GL-4  
CATERPILLAR TO-4

EATON  
ALLISON C-4

Mineral transmission oil for standard drain use in Eaton gear boxes. Not for use in Eaton 18 speed manuals and automated Ultra-Shift Plus gearboxes.

QABP AFM4210205  
QABP AFM4210020  
**Pack sizes available:**  
205 Lt drum  
20 Lt drum

## GREASE



### PRIME GREASE AFX 2

#### APPROVALS

#### SPECIFICATIONS

#### OUT OF WARRANTY RECOMMENDATIONS

#### DESCRIPTION

#### PART INFO

NGLI 2

Long life multi-purpose Lithium Complex grease that is specially designed for a variety of automotive applications including wheel bearing and general chassis lubrication.

QABP AFM4215180  
QABP AFM4215055  
QABP AFM4215020  
QABP AFM4215450  
**Pack sizes available:**  
180 Kg drum  
55 Kg drum  
20 Kg drum  
450 Gm cartridge



## CHOOSING THE CORRECT LUBRICANT JUST GOT EASIER WITH ALLIANCE NET LUBE™

Daimler Truck and Bus believes one of the easiest ways to prevent downtime is by simply ensuring all our vehicles receive the correctly specified, factory approved fluids.

Introducing the Alliance Net Lube™ App.

No more confusion or second guessing. Get it right first time, every time.

Provides the latest "Factory Approved" Alliance fluids for Mercedes-Benz, Freightliner and Fuso commercial vehicles.

Alliance Net Lube™ also covers a wide range of other commercial vehicle manufacturers.

Download for FREE from the App Store or Google Play and get started.





---

**FIND YOUR NEAREST LOCATION AT [ALLIANCETRUCKPARTS.CO.NZ](http://ALLIANCETRUCKPARTS.CO.NZ)**

---



Mercedes-Benz is a registered trademarks of Daimler AG, Stuttgart Germany. Freightliner and Alliance Truck Parts are registered trademarks of Daimler Trucks North America LLC, all distributed by Daimler Truck and Bus Australia Pacific Pty Ltd. ACN 618 413 282 / NZCN 8039364. Specifications are subject to change without notice.

Copyright © Daimler Truck and Bus Australia Pacific Pty Ltd. All rights reserved.

**DAIMLER TRUCK**